

HYDROSTATIC PROPERTIES

C4-5-1a

MEAN DRAFT BOTTOM OF KEEL	TOTAL DISP. S.W. TONS	TRANSVERSE KM-MLD. FEET	TONS PER INCH IMMERSION	MOMENT TO TRIM 1" FT. TONS	L.C.B. AFT F.P. FEET	L.C.F. AFT F.P. FEET	MEAN DRAFT BOTTOM OF KEEL
30	21000	31.4	70	1950	269	282	30
29		31.3		1900		281	29
28	20000	31.2	69	1850	268	280	28
27		31.1		1800		279	27
26	19000	31.1	68	1750	267	278	26
25				17000		31.05	1700
24	16000	31.1	66	1650	266	276	24
23		31.2		1600		275	23
22	15000	31.3	65	1550	266	274	22
21		31.4				1500	273
20	14000	31.5	64	1450	265		272
19		31.6				1400	271
18	13000	31.8	63	1350	264		270
17		32.0				1300	269
16	12000	32.5	62	1250	264		268
15		33.0				1200	267
14	11000	33.5	61	1150	263		266
13		34.0				1100	265
12	10000	34.5	60	1050	263		266
11		35.0				1000	265
10	9000	35.5	59	1000	263		266
9		36.0				950	265
8	8000	37.0	58	950	263		266
7		38.0				900	265
6	7000	38.0	57	900	263		266
5						850	265
4	6000	38.0	56	850	263	266	4
3						800	265
2	5000	38.0	55	800	263	266	2
1						750	265